



Anton/Bauer GM2 Charger

SKU: 8475-0141

Lightweight, compact dual battery
charger.



PRODUCT DESCRIPTION

Intelligent charging with power to spare. Charge two Gold-Mount batteries simultaneously while powering your camera accessories with the lightweight and portable Anton/Bauer GM2 battery charger. Lithium-ion batteries, like the Anton/Bauer GO 90 (98Wh 8A) charge in approximately 3 hours. The XLR4 output converts AC to DC power when charging or can be used to deliver battery power to devices that only have an XLR input.

- Charge two Gold-Mount batteries simultaneously
- 100-240 VAC input
- XLR 16.7VDC/4.5A power output
- Use charger and XLR output at the same time
- Portable design with carry handle
- Integrated support stand
- LEDs show battery charging status

Lightweight, compact dual battery charger.

The portable, packable charging solution

A power-up wherever you need it. With two V-Mount or Gold Mount battery mounts and an XLR4 DC output the Anton/Bauer VM2, GM2 charger is the ideal solution for roaming imagemakers. Simply connect to AC power and pop the integrated support stand to create a quick-to-set-up plug and play charging station for V-mount or Gold Mount batteries, and a 16.7VDC 4.5A convertor for XLR power input devices. The slim profile is designed to stack and pack, perfect for transportation when space matters.

Advanced safety monitoring

Protection your batteries and devices

Stays cool in the heat of the action. VM2 and GM2 chargers are designed to protect your batteries and any powered devices from damage. Intelligent safety technology in the VM2 and GM2 constantly monitors all devices and will automatically stop charging if a fault is detected or any attached battery reaches an overvoltage condition. A built-in fan ensures that the charger can be relied on for peak performance when things start heating up on set.

Frequently Asked Questions.

Can I charge my HyTRON battery?

No, VM2 & GM2 chargers are not compatible with Anton/Bauer HyTRON batteries.

TECHNICAL SPECIFICATIONS

Charging Specification	Simultaneous
Built-In Discharge	No
Charging Positions	2
WiFi Enabled	No
Family	AntonBauer GM2
Height	23.5 cm 9.25 in
Width	57 mm 2.24 in
Depth	14 cm 5.51 in
Weight	1 kg 2.2 lb
XLR Connector	Yes
AC Power Supply	Yes
LCD Display	No
LED Indicators	Yes
Touch Screen	No
Charging Capability	2 Position Simultaneous Charging
Power Supply	Yes
Mount Type	Gold Mount

IN THE BOX

- 1 X 4 Pin XLR Cable (Length ~10 ft. / 3 meters)

YOU MAY ALSO LIKE...



LP2 Dual Gold Mount
Charger



LP4 Quad Gold Mount
Charger



Performance Dual Gold
Mount Charger



Performance Quad
Gold Mount Charger



Gold Mount +/- Gold
Mount Quad 6A
charger