

Dionic 26V LPD Quad Gold Mount Plus Discharger

SKU: 8475-0139

Dionic Discharger, Dual Voltage (26V and
14V) / Multi Chemistry, 4 position - Gold
Mount Plus



PRODUCT DESCRIPTION

Simultaneously discharge up to four 14.4V Gold Mount or 26V Gold Mount Plus batteries.

Quickly and safely discharge 14.4V Gold Mount or 26V Gold Mount Plus batteries to less than 30% to meet IATA travel regulations.

Discharges Anton/Bauer batteries (Digital, Dionic HC, Dionic HCX, Dionic HD, HyTron, Dionic XT, Titon, Titon SL, and Dionic 26V)

Key Features:

- Dedicated discharge unit that quickly and safely discharges Gold Mount or Gold Mount Plus batteries to less than 30% for compliance with IATA regulations
- Thermostatically Controlled: Fan cooled and thermally protected, making it safe to leave unattended in any environment
- Supports Gold Mount and Gold Mount Plus Multi Chemistry batteries
- Discharges Anton/Bauer batteries (Digital, Dionic HC, Dionic HCX, Dionic HD, HyTron, Dionic XT, Titon, Titon SL, and Dionic 26V)

TECHNICAL SPECIFICATIONS

Charging Specification	Discharger
Built-In Discharge	Yes
Charging Positions	4
Family	Dionic
Height	91 mm 3.58 in
Width	31 cm 12.2 in
Depth	23 cm 9.06 in
Weight	1.9 kg 4.19 lb
AC Power Supply	Yes
Charging Capability	Discharger