



## GO 90 Gold Mount

SKU: 8675-0161

- 98Wh lithium-ion battery
- Gold-Mount or V-Mount options
- 8A continuous draw
- P-Tap combined output and charging port
- 1A 5V USB port
- 5-Step LED fuel gauge

## PRODUCT DESCRIPTION

GO 90 is Anton/Bauer's lightweight, low-cost battery for pro photographers and videographers looking for a simple plug and play power solution. When budgets are tight but compromising on quality or reliability is not an option, GO 90 provides a consistently reliable power source to run your camera or light panel for hours. The super-slim design makes GO 90 the perfect solution for powering cameras on handheld gimbals, on-camera lights or field monitors without adding extra weight to your rig.

### **Slimline, lightweight battery.**

Run your camera with power to spare

Power for your camera and its accessories or LED panels lights with one simple battery. A weather-resistant P-Tap port and high-speed USB port deliver reliable power for camera accessories including monitors or on-camera lights or even an energy boost to keep your smartphone going throughout the day.

### **5-step LED fuel gauge.**

One tap battery status confirmation.

Power to create. GO 90 displays battery status at a glance with a built-in intelligent 5-step LED fuel gauge. Check the charge level on the battery with a simple tap of a button or see the battery

level in 20% increments leaving camera operators free to focus on the action in front of the camera.

## **Multiple charging options.**

### **Compatible with your way of working.**

Power when and where you need it. For fast and efficient charging, GO 90 is compatible with Anton/Bauer V-Mount or Gold-Mount charging solutions or can safely integrate with chargers from other manufacturers. For image makers on the move when size and weight are critical, GO 90 batteries can be simply charged with a lightweight, portable P-Tap charger.

## **Frequently Asked Questions**

### **Can I charge my GO 90 battery on the Anton/Bauer LP or Performance chargers?**

Yes, but please download the latest firmware update found in the Downloads section on your charger's webpage.

## TECHNICAL SPECIFICATIONS

<b>Range</b>	GO
<b>Height</b>	15.2 cm   5.98 in
<b>Width</b>	95 mm   3.74 in
<b>Depth</b>	47 mm   1.85 in
<b>Weight</b>	0.7 kg   1.54 lb
<b>Mount Type</b>	Gold Mount
<b>Chemistry</b>	Lithium-ion
<b>Voltage</b>	14.4 V
<b>Capacity</b>	98 Wh
<b>Power Tap</b>	Yes
<b>Max Current</b>	8 Amps
<b>USB</b>	Yes
<b>Warranty</b>	1 Year / 70% of Learned Capacity

## YOU MAY ALSO LIKE...



[Titon SL 150 Gold Mount Battery](#)



[Titon SL 90 Gold Mount Battery](#)



[Titon 90 Gold Mount Battery](#)



[Titon 150 Gold Mount Battery](#)